

KEY:		Quick Tips:
P.Cub1	<i>Pseudoperonospora cubensis</i> clade 1 (downy mildew of cucurbits; impacts acorn squash, butternut squash, pumpkin, watermelon)	Confirmed airborne presence indicates possible rapid onset of downy mildew in target crops. It is recommended to take immediate action in preventative treatment of plants if positive airborne presence is confirmed within your county.
P.Cub2	<i>Pseudoperonospora cubensis</i> clade 2 (downy mildew of cucurbits; impacts cucumber, cantaloupe)	
★	Spore Trapping Started	
☒	Spore Trapping Ended	For a list of products that have been tested and are effective against DM in field trials, or for more information on downy mildew management, click here.
[DM]	Visual positive identification of downy mildew in field (scouting)	
-	Negative; No confirmed airborne presence of pathogen	
POS	Positive; Confirmed airborne presence of pathogen	

County:	Allegan		Berrien		Muskegon		Bay		Monroe		Saginaw		Ingham	
DM Class:	P.Cub1	P.Cub2	P.Cub1	P.Cub2	P.Cub1	P.Cub2	P.Cub1	P.Cub2	P.Cub1	P.Cub2	P.Cub1	P.Cub2	P.Cub1	P.Cub2
9-May														
10-May														
11-May														
12-May														
13-May														
14-May														
15-May														
16-May														
17-May														
18-May														
19-May														
20-May														
21-May														
22-May														
23-May														
24-May														
25-May														
26-May														
27-May														
28-May														
29-May														
30-May														
31-May														
1-Jun														
2-Jun														
3-Jun														
4-Jun														
5-Jun														
6-Jun														
7-Jun														
8-Jun														
9-Jun														
10-Jun														
11-Jun														
12-Jun														
13-Jun														
14-Jun														
15-Jun														
16-Jun														
17-Jun														
18-Jun														
19-Jun														
20-Jun														
21-Jun														
22-Jun														
23-Jun														